

## PATIALA LOCOMOTIVE WORKS

Section: HQ-

## PURCHASE ORDER REGISTER (Non-Stock) FOR THE PERIOD 01-MAY-22 to 31-MAY-22

Date: 01/06/22

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
1	03225016100772 dated 04-MAY-22 VARDHMAN INDUSTRIAL FASTENERS-DELHI	8921	2210N011	Hex head screw M12 X35 mm, Gr.10.9 Zinc plated passivated, IS1364, Pt.2 for Pivot housing of frame.	001	20721105	AWM/BS	1200	Nos.	31- MAY-22	SSE/BS /NS/21-22/11	A1001
2	11215269200773 dated 04-MAY-22 ADITYA TECHNOLOGY, NEW DELHI	118805	6590N01	FULLY AUTOMATIC with auto cut off R.O portable water purification system, capacity 25 ltr, Sediment and activated carbon filter, filtration. in capacity in Ltr, hour:- 25, Arsenic removal, floride removal, chloride remove , storage tank capacity 25 ltr, high pressure pump, chemical cleaning pump, micron filter, mambrane housing, availability of test report, Make Aqugard, Kent, Hevalls,Livpure, AO smith	001	20721104	AXEN/PLW	8	Nos.	07- MAY-22	7SSEW003781	A1001
3	11225139200774 dated 04-MAY-22 ZIPZAP COMPUTERS, AMRITSAR	22400	5290N001	Multifunctional Machine Mfm.onsite OEM warranty make: HP, canon GeM product ID: 5116877-21772541911	001	20721104	PS/PCAO	1	Nos.	21- JUL-22	1OSCA000332	A1001
4	11225200100786 dated 05-MAY-22 SRB INTERNATIONAL PRIVATE LIMITED- NEW DELHI	111982	6610N101	Collet Finger / Tool Clamping Finger Part No. 706P.154.1600 & Spring Part No. 706P.154.1620 ( One Set Contains 6 Tool Clamping Fingers and One Spring). Make/Brand; World Machinery works.	001	20721104	AWM/P	1	Set	25- JUN-22	SSE/SPC- 2/3293/4092	A1001
5	11225181100790 dated 06-MAY-22 KK INTERNATIONAL- LUDHIANA	100630	7298N070	ABSOLUTE Digimatic Depth Gauge Series 571, Range 0-300 mm, Resolution 0.01mm, of Mitutoye code 571-203-20 or equivalent Note: Firm has to submit calibration certificate from any NABL approved Lab	001	20721105	AWM/TR	4	Nos.	30- JUL-22	51AWM000144	A1001
6	03225007200791 dated 06-MAY-22 KRISHNA ENTERPRISES, PATIALA	52800	6228N01	Product Name : ajanta Grey Cast Iron, Gr-FG 200 of IS: 210 - latest Sluice ValvesC5664E 150Brand : ajantaCategory Name & Quadrant : Sluice Valves-IS 14846 (Q3)SLUICE VALVE 150MM	001	20721105	AXEN/PLW	6	Nos.	01- JUL-22	087OS010841	A1001
7	03215100200792 dated 06-MAY-22 KESHAV ENTERPRISES, Jaipur	25354	6228N03	Product Name : NA 32 Hot- Finished Seamless(HFS) Running Nipple Steel PipesFittingCategory Name & Quadrant : Steel Pipes Fitting-IS 1239 (Q3)OM &32 150 MM	001	20721105	AXEN/PLW	350	Nos.	28- JUN-22	087OS011041	A1001
8	11225071200794 dated 06-MAY-22 DALMIA SALES, SRI. GANGANAGAR	4842	4203N001	Pendent Holder,ISI Marked,Rated current 2 Ampere,material Polycarbonate Electrical grade suitable to operate 250 volts AC supply.Make- Anchor,Havells,CONA,Fine(GeM Item)	001	20721104	AEE-II	200	Nos.	15- MAY-22	2SEEC010181	A1001
9	11215259200795 dated 06-MAY-22 AGMATEL INDIA PVT LTD, DELHI	134196	4712N092	HANDHELD DIGITAL LCR METER 100Hz/120Hz /1KHz/10KHz/100KHz OF MAKE KEYSIGHT TECHNOLOGIES, FLUKE OR MEGGER.	001	20721104	WM/TMS	4	Nos.	05- JUL-22	DMW/M/TMS /NSR/2092	A1001
10	11225089200796 dated 06-MAY-22 AVANTE GLOBAL SERVICES PRIVATE LIMITED, New Delhi	142700	6690N061	PRECISION DIGITAL MULTIMETER HAND HELD GEM PRODUCT ID :- 5116877-51481767528 MAKE:- FLUKE OR EQUIVALENT.DETAILED TECHNICAL SPECIFICATION AS PER ANNEXURE "A"	001	20721104	AWM/P	2	Nos.	05- JUL-22	SSE/SPC /ELS/7806	A1001

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
11	12225113100797 dated 08-MAY-22 SANGAM MEDICAL STORE-PATIALA	14907	8201N273	Lactulose 3.5gm/ 5 ml liquid 100 ml bottle FIRM TO SUPPLY MAKE : MOREPEN	001	20721104	SR DMO/ DRUG STORE	220	Nos.	31-MAY-22	PLW/MED /DS/069	A1001
12	12215225200802 dated 09-MAY-22 DURGA SURGICAL CORPORATION- SONEPAT	31500	8201N022	FIVESTARDURGA--Durga Surgical Corporation Handloom CottonGauze 18 meter X 60 centimeter (LxW)	001	20721104	SR DMO/ DRUG STORE	300	Nos.	26-JUN-22	DMW/MED /DS/080	A1001
13	122251127100808 dated 09-MAY-22 DELHI HANDLOOM CENTER-PATIALA	17808	8610N002	Supply and Installation and fixing of Verticle Blind Curtains, Make :- ARMAAN, NOVA, GD or equivalent. Specification:- Fabric- Polyester with minimum slat width 100 mm. and slat thickness 0.65 mm., Length :-6 ft. Channel Complete with runner and complete in all respect including all accessories and hardwares. NOTE : FIRM TO SUPPLY & INSTALL G D MAKE	001	20721104	AEE-I	212	SQFT	20-MAY-22	CH.OS/EL /HQ/22-23/81	A1001
14	11225183100812 dated 09-MAY-22 ASHWINKUMAR AND CO-MUMBAI	296652	7298N073	Bore gauge Range 100-160mm of Mitutoyo No.511-804 along with ABSOLUTE Digmatic Indicator ID-C, Range 12.7mm of Mitutoyo No. 543- 310B or equivalent. Note: Firm has to submit calibration certificate from any NABL approved Lab	001	20712805	AWM/TR	1	Set	31-AUG-22	51AWM000146	A1001
			7298N074	Bore gauge Range 150-250mm of Mitutoyo No. 511-805 along with ABSOLUTE Digmatic Indicator ID-C Range 12.7mm of Mitutoyo No.543-310B or equivalent. Note: Firm has to submit calibration certificate from any NABL approved Lab	002	20721105	AWM/TR	2	Set	31-AUG-22	51AWM000146_1	A1001
			7298N075	Bore gauge Range 250-400 mm of Mitutoyo Code .511-806 along with ABSOLUTE Digmatic Indicator ID-C, Range 12.7mm of Mitutoyo Code. 543-310B or equivalent. Note: Firm has to submit calibration certificate from any NABL approved Lab	003	20721105	AWM/TR	2	Set	31-AUG-22	51AWM000147	A1001
15	03225019100814 dated 10-MAY-22 INDER INDUSTRIES- JALANDHAR	90931	99XXN001	Set consisting of 01 No. Ductile Cast Iron 500/60 Grade, Casted 8 Inch Vice with high degree of shock absorbing capacity for using in the manufacturing and fixing of components for Electric Locomotives having serrated jaws with hardness not less than 45 (Plus Minus 5) HRC , with Fixed Base and 02 Nos. of One Ended Open Jaw slugging tempered wrench of size 38mm , Head Thickness 20mm and length 225 mm manufactured from CRV/40Cr Steel with hardness of 39-46 HRC suiting to DIN-133 and Confirming to IS:4508:1992 for the use in the manufacturing and fixing of components for Electric Locomotives (Certificate of Confirmation to IS:4508:1992 to be attached with the Bid and also with the supply of material). Note : Make of Groz/ Inder /JCB hand Tools will only be accepted.	001	20721105	SSE/ABS	10	Set	09-JUN-22	1ABSA000226	A1001
16	11225170200819 dated 10-MAY-22 MOTHER BLESS DIGITAL SOLUTIONS (OPC) PRIVATE LIMITED, DUNGAR	2580	4390N001	Digital signature certificate, Class-III, High assurance certificate with Crypto USB, E-Token with 2 yrs validity.	001	20721105	AMM/DEPOT-I	2	Nos.	22-MAY-22	8AMMD002342	A1001
					002	20721104	WM/DESIGN	2	Nos.	22-MAY-22	1SSEL000742	A1001
					003	20721105	AWM/BS	1	Nos.	22-MAY-22	3BSAW001042	A1001

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
					004	20721104	AEE-I	7	Nos.	22- MAY-22	CH.OS/EL /HQ/22-23/84	A1001
17	11225088200820 dated 10-MAY-22 MBP BEARINGS PVT LTD, DELHI	3328	8505N01	DEEP GROOVE 6008 BALL BEARINGAS PER ANNEXURE - A	001	20721105	WM/HMS	16	Nos.	19- MAY-22	4HMSS001522	A1001
18	11225020200823 dated 10-MAY-22 ACTION CONSTRUCTION EQUIPMENT LIMITED, PALWAL	729000	6707N104	Tractor 55 HP as per Gem ID 5116877-80735354210 or equivalent	001	4175 CAP	WM/TMS	1	Nos.	02- AUG-22	DMW/M/TMS /NSR/2104	A1001
19	11225176100824 dated 10-MAY-22 STAR INDUSTRIAL SOLUTIONS- LUDHIANA	245322	6528N001	Maintainance Kit Compatible to Hypertherm PMX 30 AIR High OCV Cutting System .Each Set Consisting of 10 Nos. Each of Deflector Compatible and Equivalent to Hypertherm PMX 30 AIR Part No. 420399, 01 No. Each of Retaining Cap Compatible and Equivalent to Hypertherm PMX 30 AIR Part No. 420135 and 05 Nos. Each of Swirl Ring Compatible and Equivalent to Hypertherm PMX 30 AIR Part No. 420133. Note Make of MAGKRAFT/ STARKTEK/ HYPERTHERM will only be Suitable.	001	20721105	SSE/ABS	7	Set	15- JUL-22	1ABSA000236	A1001
20	11225011200827 dated 11-MAY-22 SINGALA SANITARY STORE, South West Delhi	13000	4202N001	Non Modular 16A Electrical switch & Accessories Flash Type IS-3454 as per ISI Marked 16A, 1 way Piono Type Switch Conf. to IS-3854/1997 with latest amendment.Make- Cona, Anchor, Schenider, Havells, Fine.Gem Item (Specification Attached)	001	20721104	AEE/WS	200	Nos.	25- MAY-22	2SSEM007101	A1001
21	11225190100831 dated 11-MAY-22 ASHWINKUMAR AND CO-MUMBAI	164350	7298N081	Digimatic Tubular Inside Micrometers with carbide tipped face, Range 200-1000mm, Resolution 0.0001/0.001 inch & mm, Mitutoyo code 339-303 or Similar with 02 nos. Extra Batteries Note: Firm has to submit calibration certificate from any NABL approved Lab	001	20712205	AWM/TR	2	Nos.	31- AUG-22	51AWM000153	A1001
22	11225215100833 dated 11-MAY-22 DURGA BEARINGS COMPANY PRIVATE LIMITED- BANGALORE	25370	6610N101	Combined Needle Roller Thrust Bearing No. ZARF 2575 LTN Make : INA/NSK/SKF or Equivalent	001	20721104	AWM/P	1	Nos.	23- MAY-22	SSE/SPC- 1/3299/4094	A1001
23	11225182100834 dated 11-MAY-22 ASHWINKUMAR AND CO-MUMBAI	263140	7298N071	Dial Snap gauge of Range 125-150mm,of Mitutoyo code 201-106, along with ABSOLUTE Digimatic Indicator ID-C Series 543,Range 12.7mm of Mitutoyo code 543-300B, Resolution 0.001/0.01 mm or equivalent. Note: Firm has to submit calibration certificate from any NABL approved Lab	001	20721105	AWM/TR	2	Set	31- AUG-22	51SSE000145	A1001
			7298N072	Dial Snap gauge of Range 275-300mm,of Mitutoyo code 201-112, along with ABSOLUTE Digimatic Indicator ID-C Series 543,Range 12.7mm of Mitutoyo code 543-300B, Resolution 0.001/0.01 mm or equivalent Note: Firm has to submit calibration certificate from any NABL approved Lab	002	20721105	AWM/TR	1	Set	31- AUG-22	51SSE000145_1	A1001
			7298N078	Dial Snap gauge of Range 150-175 mm of Mitutoyo code .201-107 along with ABSOLUTE Digimatic Indicator ID-C Series 543,Range 12.7mm of Mitutoyo code. 543-300B or equivalent.	003	20721105	AWM/TR	2	Set	31- AUG-22	51AWM000150	A1001
IMMS-CRIS												

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
				Note: Firm has to submit calibration certificate from any NABL approved Lab								
24	11225064200837 dated 12-MAY-22 RELIABLE BATTERY SOLUTIONS, LUCKNOW	13400	6645N68	Lead Acid Battery 12 Volt, 150 AH Size L =508 mm , W = 222 mm , H = 257 mm Tolerance in Size +/- 10 mm Make : Tata/ Exide/ SF Sonic/ Amaron GeM Product ID: 5116877-35558192825	001	20721104	AWM/P	1	Nos.	26- MAY-22	CMS/10868	A1001
25	11225152200838 dated 12-MAY-22 SAM SYSTEMS- BHOPAL	77440	8201NO37	Toner Cartridge for HP P1108 Printer CC 388AC	001	20721108	SR.DMO	20	Nos.	10- JUL-22	DMW/MED /NS/21/37	A1001
26	11215412200852 dated 13-MAY-22 AAYUSH ENTERPRISES- INDORE	15836	8201NO36	Digital Signature Certificate Class 111 High Assurance certificate with safenet Brand Crypto USBE-Token safenet 5100 Series with two year validity. Make Safe Script Safenet or equivalent.	001	20721104	APO-II	54	Nos.	24- MAY-22	6APO20006B1	A1001
					002	20721108	SR.DMO	20	Nos.	24- MAY-22	DMW/MED /NS/21/36	A1001
27	11225157100855 dated 13-MAY-22 KK INTERNATIONAL- LUDHIANA	65221	7298N083	Go Gauges for Checking of Inner Labyrinth (DE) to Drg. no.G-0564 Note: Firm has to submit calibration certificate from any NABL approved Lab	001	20721105	AWM/TR	2	Nos.	31- AUG-22	51AWM000155	A1001
			7298N084	GO Gauges for Checking of Bearing Cap (NDE) to Drg. no. G-0569 Note: Firm has to submit calibration certificate from any NABL approved Lab	002	20721105	AWM/TR	2	Nos.	31- AUG-22	51AWM000155_1	A1001
			7298N085	GO Gauges for Checking of Clamp Plate (NDE) to Drg. no. G-0570 Note: Firm has to submit calibration certificate from any NABL approved Lab	003	20721105	AWM/TR	2	Nos.	31- AUG-22	51AWM000155_2	A1001
28	11225179100856 dated 13-MAY-22 ASHWINKUMAR AND CO-MUMBAI	281076	7298N068	ABSOLUTE Digimatic Indicator ID-CX, Range 12.7 of Mitutoyo 543-390B or equivalent Note: Firm has to submit calibration certificate from any NABL approved Lab	001	20721105	AWM/TR	6	Nos.	16- AUG-22	51AWM000142	A1001
			7298N069	ABSOLUTE Digimatic Caliper 500 series with exclusive ABSOLUTE Encoder technology, Range 0-300 mm, of Mitutoyo 500-153 or equivalent Note: Firm has to submit calibration certificate from any NABL approved Lab	002	20721105	AWM/TR	6	Nos.	16- AUG-22	51AWM000143	A1001
29	12225025200860 dated 13-MAY-22 MONEX ENTERPRISES, MUMBAI	21883	7901N03	bombay dyeing 215 centimeter x C1112M 135 centimeter (L x W)Bleached, White Bed Sheets	001	20721105	INSPECTOR/RPF	70	Nos.	22- MAY-22	024	A1001
30	03225024100864 dated 13-MAY-22 BIMCO ENGINEERING ENTERPRISE- LUDHIANA	104501	7420N113	Kit of Hardware items for Hitachi TM as per Annex. A attached	001	20721104	WM/TMS	240	Set	13- JUL-22	DMW/M/TMS /NSR/2113	A1001
31	11225155200865 dated 13-MAY-22 GUPTA AGENCY, PANIPAT	858058	4210N001	Energy efficient ceiling fan sweep size 1200mm, power input maximum 50W, warranty minimum 2 years, BEE rating 3 star, suitable to operate on single phase 200-250 volts, 50 Hz as per technical specification attached "Annexure-A" conforming to IS:374:2019 or latest GeM item Make:- Bajaj, Usha, Crompton, Havells, Orient, Khaitan, Ganesh.	001	20721104	AEE-II	416	Nos.	03- JUL-22	2SEEC013432	A1001
32	11215366100866 dated 13-MAY-22 OIL AND GAS PLANT ENGINEERS INDIA PRIVATE LIMITED- DELHI	317420	4712N095	Portable Grease steel dust Meter as per Specification Annex. A attached	001	20721104	WM/TMS	1	Nos.	30- JUL-22	DMW/M/TMS /NSR/2095	A1001

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
33	12225101100872 dated 14-MAY-22 AASTHA PHARMACEUTICALS- DELHI	99680	8201N060	Tab Metformin 1 gm Extended Release DIAMET SR 1000	001	20721104	SR DMO/ DRUG STORE	50000	Nos.	15- JUL-22	PLW/MED /DS/055	A1001
					002	20721104	SR DMO/ DRUG STORE	50000	Nos.	31- DEC-22	PLW/MED /DS/055	A1001
34	12225101100873 dated 14-MAY-22 SONDHI SONS PHARMA- CHANDIGARH	10080	8201N194	Tablet Cilnidipine 10 MG BRAND NAME-CDPIN 10	001	20721104	SR DMO/ DRUG STORE	7500	Nos.	15- JUN-22	PLW/MED /DS/047_1	A1001
					002	20721104	SR DMO/ DRUG STORE	7500	Nos.	30- NOV-22	PLW/MED /DS/047_1	A1001
35	12225101100874 dated 14-MAY-22 AASTHA PHARMACEUTICALS- DELHI	35840	8201N070	Cap Glyceryl Trinitrate 2.5/2.6 mg NITZO 2.6	001	20721104	SR DMO/ DRUG STORE	20000	Nos.	30- JUL-22	PLW/MED /DS/047	A1001
					002	20721104	SR DMO/ DRUG STORE	20000	Nos.	31- DEC-22	PLW/MED /DS/047	A1001
36	12225108100875 dated 14-MAY-22 SATYAM SHIVAM PHARMACEUTICALS- PATIALA	25536	8201N174	Inj Paracetamol Infusion 1% w/v 1Gm /100ml BOTTLE NOTE : FIRM TO SUPPLY Abbott MAKE.	001	20721104	SR DMO/ DRUG STORE	600	Nos.	31- MAY-22	PLW/MED /DS/065	A1001
37	11215204200878 dated 14-MAY-22 VAKARANGEE ENTERPRISES- BHOPAL	217600	5023N06	TELEPHONE INSTRUMENTMAKE- BEETEL,PANASONIC,MODEL M-500 CALLER ID SPEAKER PHONE OR SIMILARAS PER GeM SPECIFICATION ATTACHEDMATERIAL AVAILABLE ON GeM	001	20721104	ASTE/TELECOM	200	Nos.	06- JUL-22	DMW/EL /TELE/21/06	A1001
38	11225202200879 dated 14-MAY-22 MOTHER BLESS DIGITAL SOLUTIONS (OPC) PRIVATE LIMITED, DUNGAR	860	5290N001	DIGITAL SIGNING CERTIFICATE (DSC) CLASS III,HIGH ASSURANCE CERTIFICATE WITH CRYPTOUSB TOKEN WITH VALIDITY 2 YEARS,MAKE CLASS 3SIFY SIGNING,E PASS TOKEN	001	20721104	PS/PCAO	1	Nos.	24- MAY-22	1OSCA001242	A1001
					002	20721104	SR.SO(EFF.)	3	Nos.	24- MAY-22	5SSOE002452	A1001
39	03225020100882 dated 15-MAY-22 KK INTERNATIONAL- LUDHIANA	356884	7298N064	Kit for Grooving Boring Bar, (06 Components) Note: All Components should be compatible with respective Machine 1. Through Coolant Grooving holder for outer dia. Having depth 40 mm to sandvik ordering Code QS-QD- LFK40C2525D. = 01 No., 02. Insert for above having 6 mm width with Corner Radius 0.4mm Similar to Sandvik ordering Code QD-NK-0600-0004- GM4325 =30 nos, 03. Through Coolant Grooving Boring Bar for inner Dia. Having with Groove depth 11 mm Similar to Sandvik ordering code LAG123G11-40B.=01 no, 04. Insert for above having 3 mm width with Corner Radius 0.4 mm Similar to Sandvik Ordering code N123G2-0300-0004- GF1125.=30 nos, 05. Tool Holder Block with Through Coolant facility for DMG GAMMA Machine Similar to Sandvik ordering Code C8- ASHR-122-25HP.=01 no, 06. Tool Holder Block with through Coolant Facility for HMT MCELL Machine Similar to Sandvik ordering code ASHA- R-VDI40-25-Hp. =01 no,	001	20721105	AWM/TR	1	Nos.	18- AUG-22	51AWM000132	A1001
40	03225021100883 dated 15-MAY-22 KK INTERNATIONAL- LUDHIANA	482903	7298N065	Kit for Grooving Boring Bar ( 08 Components) Note: All Components should be compatible with respective Machine. 1. Through Coolant Grooving Boring Bar for inner Dia. Having depth 11 mm to Sandvik ordering code LAG123J11-40B =01 no, 02. Insert for above having 5 mm	001	20721105	AWM/TR	1	Nos.	18- AUG-22	51AWM000133	A1001

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off	
				width with Corner Radius 0.8 mm to Sandvik Ordering code N123J2-0500-0008-TM 4325.=30 nos, 03. Face Grooving holder having Diameter range 220-500mm, depth 13 mm to Sandvik ordering code LF123H13-2525B-220BM. =01 no, 04 Insert for above having 4 mm width with Corner Radius 0.4mm to Sandvik ordering Code LG 123H1-0400-0004-GS1115.=30 nos, 5. Through Coolant Grooving Holder for outer dia. Having depth 40 mm to sandvikordering Code QS-QD-LFH40C2525D.=01 no, 6. Insert for above having 4 mm width with Corner Radius 0.4mm to Sandvik ordering Code QD-NH-0400-0004-CM 4325.=30 nos, 7. Tool Holder Block with Through Coolant facility for DMG GAMMA Machine to Sandvik ordering Code C8-ASHR-122-25HP. =01 no, 8. Tool Holder Block with through Coolant Facility for HMT MCELL Machine to Sandvik ordering code ASHA-R-VDI40-25-HP.=01 no.									
41	03225022100884 dated 15-MAY-22 KK INTERNATIONAL- LUDHIANA	330837	7298N066	Kit for Grooving Boring Bar ( 07 Components) 01 Through Coolant face Grooving holder having Diameter range 150-310 mm, depth 38mm to Sandvik ordering code QFT-RFH 38C2525-150B.=01 no, 02. Through Coolant face Grooving holder having Diameter range 100-160 mm, depth 38mm to Sandvik ordering code QFT-RFH 38C2525-100B.=01 no, 03 Through Coolant face Grooving holder having Diameter range 150-310 mm, depth 26mm to Sandvik ordering code QFT-RFH 26C2525-150B.=01 no, 04. Through Coolant face Grooving holder having Diameter range 100-160 mm, depth 26mm to Sandvik ordering code QFT-RFH 26C2525-100B.=01 no, 5. Insert for above having 4 mm width with Corner Radius 0.3mm to Sandvik ordering Code QFT-H-0400-03-TF1125.=30 nos, 6. Tool Holder Block with Through Coolant facility for DMG GAMMA Machine to Sandvik ordering Code C8-ASHR-122-25HP.=01 no, 7. Tool Holder Block with through Coolant Facility for HMT MCELL Machine to Sandvik ordering code ASHA-R-VDI40-25-HP.=01 no,	001	20721105	AWM/TR	1	Nos.	17- AUG-22	51AWM000134	A1001	
42	032250226200896 dated 18-MAY-22 KAMRA ENTERPRISES, DELHI	40800	7290N01	Product Name : Taparia C Clamps High dutyBrand : TapariaCategory Name & Quadrant : C Clamps -as per IS 9181 (Q4)C CLAMPS (Taparia) 55 mm.	001	20721105	WM/HMS	150	Nos.	11- JUL-22	4HMSS006322	A1001	
43	11225191100900 dated 18-MAY-22 JYOTI ENTERPRISES- ROORKEE	495600	7298N082	Ring Gauge for Pinion Shaft of 6FRA 6068 Traction Motor for WAG9/WAP7Locos. Drg. No. SKEL-5043 Alt-0 (items (i) &(ii) One Set Consists of: (items (i) -01 no & (ii)-01 no. Note: Firm has to submit calibration	001	20721105	AWM/TR	6	Set	31- AUG-22	51AWM000154	A1001	

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
				certificate from any NABL approved Lab								
44	11225102100901 dated 18-MAY-22 PRECISE FABRICATORS PVT LTD-PATIALA	202311	6579N106	Work coil for brazing of HHP AC Motor and 6FRA 6068 Motor Stator, as per Part no M3151208. Make; EFD Induction Pvt Ltd/ Bangalore.	001	20721104	WM/TMS	3	Nos.	30- JUL-22	DMW/M/TMS /NSR/2106	A1001
45	11215410200903 dated 18-MAY-22 Star Technology, Ambala Cantt	23650	5018N002	WIRED SUPERCARDIOID MICROPHONE(Model ADM 411 of Ahuja make)	001	20721104	ASTE/TELECOM	10	Nos.	12- JUL-22	DMW/EL /TELE/21/20	A1001
46	11225142100913 dated 19-MAY-22 GAURIK ENGG. AND COMPANY-PATIALA	180540	6610N101	Skid Rail for Sealed Quench Furnace as per Drawing No. PL/SPR/1704 "ALT/Z"	001	20721104	AWM/P	1	Nos.	30- JUL-22	SSE/SPC- 4/3277/4085	A1001
47	02225003100914 dated 19-MAY-22 MAHINDRA STEEL INDUSTRIES- PATIALA	982739	25XXN01	DIFFERENT TYPE OF ITEMS AS PER DRG NO. CLW-1TWD- 095-098 & ANNEXURE A (ATTACHED). IN A SET CONSISTING OF 05 ITEMS QUANTITY AS PER ANNEXURE-A.	001	20721105	DYCME/HMS	85	Set	28- JUL-22	4HMSS006942	A1001
					002	20721105	DYCME/HMS	85	Set	30- SEP-22	4HMSS006942	A1001
48	11225092200918 dated 20-MAY-22 GEE BEE INTERNATIONAL, PANCHKULA	889440	4090N001	Xlpe Insulated Pvc sheathed armored with galvanized strip aluminium conductor LT cable size-4cx50sq mm suitable for rated voltage of 1100 volts as supply as per annexure -A make= K E I,rr kable. polycab , Havells, Kalinga.	001	20721104	WEE	2180	MTR	16- JUL-22	SSE/COLONY /NS/2021/93	A1001
49	12225115100920 dated 20-MAY-22 KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS LIMITED- BANGALORE	21015	8201N217	Povidone Iodine Liquid 10% /500 ml bottle	001	20721104	SR DMO/ DRUG STORE	120	Nos.	30- JUL-22	PLW/MED /DS/071	A1001
50	12225112100923 dated 20-MAY-22 SANGAM MEDICAL STORE-PATIALA	25146	8201N272	Liquid Antacid Containing Aluminium Hydroxide + Mg. Hydroxide bottle of 400 ml FIRM TO SUPPLY MAKE : Pfizer	001	20721104	SR DMO/ DRUG STORE	180	Nos.	10- JUN-22	PLW/MED /DS/068	A1001
51	03225023100927 dated 20-MAY-22 DM INTEGRATORS- LUDHIANA	136113	99XXN001	Set of Special Purpose Chrome Vanadium 31CRV3 Made with corrosion resistant Rust proof coating, Matt finished, Fully heated treated to 44-48 HRC, Double Ended cold stamped Ring wrench having corner rounding through Super Drive Broach Reducing with long handle for easy grip and heavy duty torque application. Each item should be having shank thickness ranging from 4.5 mm to 6.4 mm and Total Length ranging from 7-9/32 inch to 10-9/16 inch confirming to DIN838 with Elliptical pattern cross section for increased work life and also for using in various inaccessible location of Electrical Locomotives . Each Set Consisting of Two No. of the item each of Sizes in mm of 8 x 9, 10 x 11 ,12 x 13, 14 X 15 , 16 X 17 & 18 X 19 having etched identification on both ends for easy recognition. Note : Make of Groz / WURTH / Snap-On will only be accepted.	001	20721105	SSE/ABS	50	Set	22- JUN-22	1ABSA000225	A1001
52	03225009100928 dated 20-MAY-22 SIEGER ELECTRICAL SYSTEM PRIVATE LIMITED-LUCKNOW	206500	7279N029	DIE LESS CRIMPING TOOL, CRIMPING RANGE 6-120 Sqmm. MAKE KLAUKE. ARTICLE NO. EK301DML OR EQUIVALENT.	001	20721104	AWM/PPS	1	Nos.	22- JUL-22	SSE/PPS/NS/029	A1001

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
53	03225015100929 dated 20-MAY-22 INDER INDUSTRIES- JALANDHAR	72110	99XXN001	Set of Portable , Multiple Use , Hand Operated Tube Benders suitable for bending of thin walled tubes/pipes with two working handles having Handles manufactured from carbon steel and Bending Area / Working Area manufactured from low carbon steel suitable for bending of Tube made of Steel , Aluminium and Stainless Steel upto 180 Degrees suitable and use in the manufacturing and fixing of components for Electric Locomotives . Each Set consisting of 01 Nos. each of the following :- 1) Having size 1/2 inch with 60mm Bending Radius for thin walled tubes/pipes having maximum wall thickness of 1.5mm and total weight of the item not more than 2kgs . 2) Having size 3/8 inch with 40 mm Bending Radius for thin walled tubes/pipes having maximum wall thickness of 1.25mm and total weight of the item not more than 1kg . Note : Make of Groz/ Inder /JCB hand Tools will only be accepted.	001	20721105	SSE/ABS	15	Set	20- JUL-22	1ABSA000227	A1001
54	03225025200935 dated 21-MAY-22 KRISHNA ENTERPRISES, PATIALA	8250	4790N001	Product Name : STC OSLER Pillar Cock Metal Alloy Casting Water Tap With Push Faucet.Brand : STC OSLER.Category Name & Quadrant : Metal Alloy Casting Water Tap With Aerator (Q3) pillar tap push type.	001	20721104	AEE-I	25	Nos.	13- JUL-22	2AEER004732	A1001
55	12225073100938 dated 23-MAY-22 SUMIT PHARMACEUTICALS PRIVATE LIMITED- LUCKNOW	21952	8201N151	Sulphasalazine 500 Tab/cap MAKE/BRAND : IPCA / BRAND NAME SAAZ 500 TABLETS PACK SIZE 10s	001	20721104	SR DMO/ DRUG STORE	4000	Nos.	30- JUN-22	DMW/MED /DS/042	A1001
					002	20721104	SR DMO/ DRUG STORE	4000	Nos.	15- DEC-22	DMW/MED /DS/042	A1001
56	12225084100941 dated 23-MAY-22 NEW INNOVATIVE INSTRUMENTS- JALANDHAR	37240	8201NO44	Stainless steel Formaline chamber with silicon mat inside. As per specification attached. FIRM TO SUPPLY MAKE =WINSTRU	001	20721104	SR.DMO	2	Nos.	30- JUN-22	DMW/MED /NS/22/44	A1001
57	11225128100945 dated 23-MAY-22 JAPMAN SUPPLIER- MOHALI	81951	6528N031	PNEUMATIC GREASE PUMP SYSTEM WITH GREASE METER HAVING 50KG DRUM CAPACITY. DETAILED SPECIFICATIONS AS PER ANNEXURE-A ATTACHED.	001	20721104	AWM/PPS	1	Nos.	30- JUL-22	SSE/PPS /NS/31A	A1001
58	11225069200947 dated 23-MAY-22 SHAKTI ENTERPRISES, kanpur nagar	16996	4602N001	MCB SP,32 A.with 1 PP,suitable to operate on 240 volts, 50 Hz AC supplyMake- L&T,Havells,Anchor,ABB.GEM ITEM	001	20721104	AEE-II	200	Nos.	04- JUN-22	2SEEC0123A1	A1001
59	11225228200948 dated 23-MAY-22 MOTHER BLESS DIGITAL SOLUTIONS (OPC) PRIVATE LIMITED, DUNGAR	3618	5701N037	Digital Signature certificate Class-III high assurance certificate with crypto USB E-Token with validity two years of any brand certifying authority licensed by CCA of India	001	20721108	CH.OS- STORES/GEN	18	Nos.	05- JUN-22	S/DMW/G-II/NSR /1037/DSC	A1001
60	11225080200949 dated 23-MAY-22 MULTI TRADE LINK, JALGAON	19920	4007N001	PVC copper wire(cable),Nominal cross section 0.75 sq mm,single core multistrand conforming to IS:694:2010,working voltage 1100 volts. Make: -RR Kabel,Havells,KEI,Plaza.( GeM Item)	001	20721104	AEE-II	2000	MTR	04- JUN-22	2SEEC0120A1	A1001
61	12225062200964 dated 24-MAY-22 KRISHNA ENTERPRISES, PATIALA	36000	8201NO39	FIDELIS HEALTHCARE Attendant Controlled Powered WheelChair with Fixed Seat Height	001	20721105	SR.DMO	3	Nos.	31- MAY-22	DMW/MED /NS/22/39	A1001

IMMS-CRIS



Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
62	11225040200976 dated 25-MAY-22 CHAWLA REFRIGERATION LLP, DELHI	795200	4790N001	Supply Installation, Testing and Commissioning of Split Air Conditioner capacity - 2 Ton ( 6000 kcal/hrs), Refrigerant – Eco friendly, BEE rating- 3 star, Digital display, 230 Plus minus 10 Percent V, Single Phase, 50 Hz, AC power supply, minimum length of copper pipes 3 meter, Extra pipes shall be supplied by railway if required. Make – Voltas, Blue Star, Daikin, Lloyd, Whirlpool, Hitachi, LG. Material is available on Gem on date.	001	20721104	AEE-I	16	Nos.	16- JUL-22	2AEER004212	A1001
63	12225135100980 dated 26-MAY-22 MIDMED HEALTHCARE TECHNOLOGIES- LUDHIANA	69620	8201N003	Stryker Fiber Optic cable MAKE : Stryker	001	20721108	SR.DMO	2	Nos.	15- JUN-22	DMW/MED /NS/22/03	A1001
64	11215274200989 dated 27-MAY-22 KRISHNA ENTERPRISES, PATIALA	7920	6690N053	SEALED MAINTENANCE FREE LEAD ACID BATTERY (GP1272 F2) 12V, 7.2Ah LENGTH 151mm, WIDTH 65mm, HEIGHT 94 mm Details Sealed as per Annexure -A attached. MAKE : AMCO/AMRON/LUMINOUS /MICROTEK	001	20721104	AWM/P	8	Nos.	24- JUL-22	SSE/SPC /ELS/7793	A1001
65	11225173100995 dated 27-MAY-22 STAR INDUSTRIAL SOLUTIONS- LUDHIANA	359900	6528N001	Nozzle Compatible to Hypertherm Part No.420134 of Hypertherm PMX 30 AIR High OCV Cutting System. Note Make of Magkraft/Starktek/ Hypertherm will only be suitable.	001	20721105	SSE/ABS	200	Nos.	30- JUL-22	1ABSA000237	A1001
			6528N002	Electrode Compatible to Hypertherm Part No.420132 of Hypertherm PMX 30 AIR High OCV Cutting System. NOTE: Make of MAGKRAFT/STARKTEK /HYPERTHERM Will only be suitable.	002	20721105	SSE/ABS	200	Nos.	30- JUL-22	1ABSA000235	A1001
66	11225131100996 dated 27-MAY-22 STAR INDUSTRIAL SOLUTIONS- LUDHIANA	44250	6690N21	Retaining cap Part No.220854 compatible to Powermax 105 & Powermax 65 Plasma Cutting machine Make-Hypertherm or Ador Fontech	001	20721105	AWM/LFS	10	Nos.	30- JUL-22	6SSSA005512	A1001
67	12225100101003 dated 28-MAY-22 GALAXY ENTERPRISES- PATIALA	3864	8201N070	Susp Paracetamol 125 mg / 5ml 60 ML BOTTLE NOTE : FIRM TO SUPPLY SKYMAP MAKE	001	20721104	SR DMO/ DRUG STORE	300	Nos.	30- NOV-22	PLW/MED /DS/052	A1001
68	11225177201004 dated 28-MAY-22 LUXMI ENTERPRISES, Chandigarh	23240	5290N001	HP.950XL Officejit Ink Cartridge (Black) Make:-HP	001	20721104	PS/PCAO	1	Nos.	04- JUN-22	1PSCA000142	A1001
			5290N002	HP951XLOfficejit ink Cartridge (CYAN) Make:-HP	002	20721104	PS/PCAO	3	Nos.	04- JUN-22	1PSCA000142_1	A1001
			5290N003	HP951XL officejit Ink Cartridge (Yellow) Make:-HP	003	10271104	PS/PCAO	3	Nos.	04- JUN-22	1PSCA000142_2	A1001
			5290N004	HP951XL officejit Ink Cartridge (Magenta) Make:-HP	004	20721104	PS/PCAO	3	Nos.	04- JUN-22	1PSCA000142_3	A1001
69	11215346201015 dated 30-MAY-22 THE GLOBAL IT HUB, CHANDIGARH	411070	4290N001	UPS, Rating 10 KVA, Backup time minimum 120 minutes, Minimum 32000 VAH, warranty minimum 2 years, without trolley but with rack. Specification enclosed as per in annexure- A Make- Amaron, Luminous, Sukam, Microtek (GeM Item)	001	20721104	AEE-II	1	Nos.	21- AUG-22	2SEEC010281	A1001
70	11225035201017 dated 30-MAY-22 AMAN ENGINEERING COMPANY, JAIPUR	24988	4602N001	MCB SP,40 A.with 1 PP,suitable to operate on 240 volts, 50 Hz AC supply Make- L&T,Havells,Anchor,ABB.GEM ITEM	001	20721104	AEE-II	200	Nos.	07- JUN-22	2SEEC0124A1	A1001
71	11225185101023 dated 30-MAY-22 ASHWINKUMAR AND CO-MUMBAI	415360	7298N076	Dial Snap gauge of Range 175-200 mm of Mitutoyo code .201-108 along with ABSOLUTE Digimatic Indicator ID-C Series 543, Range 12.7mm of Mitutoyo	001	20721105	AWM/TR	4	Set	31- AUG-22	51AWM000148	A1001

IMMS-CRIS

Sr.	P.O.No. & Date Name of Firm	Order Value	PL No.	Item Description	PO Sr.	Allocation	Consignee	Order Qty	Unit	Delivery Date	Demand No.	Bill Pay Off
				code. 543-300B or equivalent. Note: Firm has to submit calibration certificate from any NABL approved Lab								
			7298N077	Dial Snap gauge of Range 100-125 mm of Mitutoyo code .201-105 along with ABSOLUTE Digimatic Indicator ID-C Series 543, Range 12.7mm of Mitutoyo code. 543-300B or equivalent. Note: Firm has to submit calibration certificate from any NABL approved Lab	002	20721105	AWM/TR	4	Set	31- AUG-22	51AWM000149	A1001
72	11225085101039 dated 31-MAY-22 WATRANA TRACTION PRIVATE LIMITED-GREATER NOIDA	56357	6645N78	Contactore DC 88-505, 32 DC, Part No. 50023201.MAKE: 'CURTIS'	001	20721104	AWM/P	3	Nos.	30- JUL-22	CMS10872	A1001
			6645N79	Line Contactore (180B, 36 V, 2 Ton, 3W), Part No. 50071450.MAKE: 'CURTIS'	002	20721104	AWM/P	2	Nos.	30- JUL-22	CMS10872_1	A1001
			6645N80	Emergency Cut Off Switch, Part No. 50014800.MAKE: 'CURTIS'	003	20721104	AWM/P	2	Nos.	30- JUL-22	CMS10872_2	A1001
73	01225004101040 dated 31-MAY-22 RAJPUT ENGINEERS-PATIALA	82506	25XXN01	Kit of Raw Material for Hitachi Stator 15250A as per given drawing and annexure A (uploaded )	001	20721105	WM/HMS	230	Set	30- JUL-22	4HMSS006432	A1001
74	11225234201043 dated 31-MAY-22 MOTHER BLESS DIGITAL SOLUTIONS (OPC) PRIVATE LIMITED, DUNGAR	6030	5701N1	Digital Signature Certificate(DSC) class-III with high assurance Certificate with two years Validity	001	20721104	AMM/DEPOT-I	30	Nos.	14- JUN-22	8AMMD002552	A1001
75	11225156201044 dated 31-MAY-22 SOWAR PRIVATE LIMITED-NEW DELHI	348100	8201NO43	Arterial Blood Gas Machine.	001	20721104	SR.DMO	1	Nos.	27- JUL-22	PLW/MED /NS/22/43	A1001
IMMS-CRIS												